

North Shore Manufacturing Corp
4706 M-63 (Michigan Highway)

Coloma, Michigan
(269) 849-2551

ISO 9001:2008 CERTIFIED SUPPLIER



PROVIDING ZINC & ALUMINUM CASTINGS

- + Competitive Advantage
- + High Quality Service
- + Short Lead Times
- + Machined & Assembled
- + Work-In-Process Inventory


North Shore Manufacturing Corporation in Coloma, Michigan, produces a complete line of Zinc Die Cast Pulleys for fractional horsepower electric motor applications.

Our 4L Groove Pulleys range in size from 1.5 inches to 6 inches in diameter. We provide Standard Hub, and Flush Hub in .500, .625, and .750 bore diameters. We also produce 3 and 4 Step Cone Type Pulleys in 3" to 5" diameters.

Our Pulleys are all made of Zamak #3 Zinc Alloy for maximum strength and quality surface finish. Our grooves and bore diameters are all machined for a concentric, close tolerance product.

We would appreciate the opportunity to work with you on your Pulley needs.

Please call us for a quote: (269) 849-2551



Single-Groove Pulleys



Cone Type Step Pulleys

Please refer to the following page(s) for available sizes and specifications.

Or visit <http://www.NShoreMFG.com/pulleys.php>



North Shore Manufacturing Corporation
4706 M-63, Coloma, Michigan 49038
(269) 849-2551



**NORTH SHORE MFG. CORPORATION
ZINC CAST V-BELT PULLEY FOR USE WITH 4L V BELTS
LARGE BORE DIAMETERS INCLUDE A 3/16 KEYWAY AND 1/4 SET SCREW**

SINGLE-GROOVE SOLID PULLEYS


P/N 1550 1.5" O.D. WITH .500 BORE DIA
P/N 2050 2.0" O.D. WITH .500 BORE DIA
P/N 2062 2.0" O.D. WITH .625 BORE WITH KEYWAY
P/N 2550 2.5" O.D. WITH .500 BORE DIA
P/N 2562 2.5" O.D. WITH .625 BORE WITH KEYWAY
P/N 2575 2.5" O.D. WITH .750 BORE WITH KEYWAY
P/N 3050 3.0" O.D. WITH .500 BORE DIA
P/N 3062 3.0" O.D. WITH .625 BORE WITH KEYWAY
P/N 3075 3.0" O.D. WITH .750 BORE WITH KEYWAY
P/N 3562 3.5" O.D. WITH .625 BORE WITH KEYWAY

SINGLE-GROOVE SPOKE PULLEYS

P/N 4050 4.0" O.D. WITH .500 BORE DIA
P/N 4062 4.0" O.D. WITH .625 BORE DIA WITH KEYWAY
P/N 4075 4.0" O.D. WITH .750 BORE DIA WITH KEYWAY
P/N 5050 5.0" O.D. WITH .500 BORE DIA
P/N 5062 5.0" O.D. WITH .625 BORE DIA WITH KEYWAY
P/N 5075 5.0" O.D. WITH .750 BORE DIA WITH KEYWAY
P/N 6050 6.0" O.D. WITH .500 BORE DIA
P/N 6062 6.0" O.D. WITH .625 BORE DIA AND KEYWAY
P/N 6075 6.0" O.D. WITH .750 BORE DIA AND KEYWAY

SINGLE GROOVE FLUSH-HUB PULLEYS

P/N FH 2050 2.0" O.D. WITH .500 BORE DIA
P/N FH 2062 2.0" O.D. WITH .625 BORE DIA & KEYWAY
P/N FH 2550 2.5" O.D. WITH .500 BORE DIA
P/N FH 2562 2.5" O.D. WITH .625 BORE DIA & KEYWAY
P/N FH 2575 2.5" O.D. WITH .750 BORE DIA & KEYWAY
P/N FH 3050 3.0" O.D. WITH .500 BORE DIA
P/N FH 3062 3.0" O.D. WITH .625 BORE DIA & KEYWAY
P/N FH 3075 3.0" O.D. WITH .750 BORE DIA & KEYWAY



Please refer to the following page(s) for available sizes and specifications.

Or visit <http://www.NShoreMFG.com/pulleys.php>



North Shore Manufacturing Corporation
4706 M-63, Coloma, Michigan 49038
(269) 849-2551



**NORTH SHORE MFG. CORPORATION
ZINC CAST V-BELT PULLEY FOR USE WITH 4L V BELTS
LARGE BORE DIAMETERS INCLUDE A 3/16 KEYWAY AND 1/4 SET SCREW**

3 GROOVE CONE TYPE STEP PULLEYS

P/N 3305 3.5"/2.75"/2.0" O.D. WITH .500 BORE DIA
P/N 3306 3.5"/2.75"/2.0" O.D. WITH .625 BORE DIA & KEYWAY
P/N 3007 3.5"/2.75"/2.0" O.D. WITH .750 BORE DIA & KEYWAY
P/N 4325 4.0"/3.0"/2.0" O.D. WITH .500 BORE DIA
P/N 4326 4.0"/3.0"/2.0" O.D. WITH .625 BORE DIA & KEYWAY
P/N 4327 4.0"/3.0"/2.0" O.D. WITH .750 BORE DIA & KEYWAY

4 GROOVE CONE TYPE STEP PULLEYS

P/N 4005 4.0"/3.5"/2.5"/2.0" O.D. WITH .500 BORE DIA
P/N 4006 4.0"/3.5"/2.5"/2.0" O.D. WITH .625 BORE DIA & KEYWAY
P/N 4007 4.0"/3.5"/2.5"/2.0" O.D. WITH .750 BORE DIA & KEYWAY
P/N 5005 5.0"/4.0"/3.0"/2.0" O.D. WITH .500 BORE DIA
P/N 5006 5.0"/4.0"/3.0"/2.0" O.D. WITH .625 BORE DIA & KEYWAY
P/N 5007 5.0"/4.0"/3.0"/2.0" O.D. WITH .750 BORE DIA & KEYWAY



Please refer to the previous page(s) for available sizes and specifications.

Or visit <http://www.NShoreMFG.com/pulleys.php>



North Shore Manufacturing Corporation
4706 M-63, Coloma, Michigan 49038
(269) 849-2551

